TROPICAL PEST MANAGEMENT

Volume 37

Taylor & Francis
London and Washington, DC

TROPICAL PEST MANAGEMENT

Editor
P. T. HASKELL
Book Reviews Editor
M. JERVIS

Editorial Executive Panel
M. F. CLARIDGE
T. GABRIEL
P. HUMPHREYS

Editorial Office
Cleppa Park Research Station
University of Wales
College of Cardiff
PO Box 915
Cardiff CF1 3TL, U.K.

International Editorial Advisory Board

T. Abushama
Kuwait University, P.O. Box 5969, 13060 SAFAT, Kuwait
S. Barbosa
EMBRAPA, CP 04-0315, 70000 Brasilia DF, Brazil
L. Brader
Plant Production and Protection Division, FAO, Via delle Terme di Caracalla, 00100 Rome, Italy
W. Coker
Department of Zoology, University of Ghana, P.O. Box 67, Legon, Ghana
N. Gratz
Division of Vector Biology and Control, WHO, 1211 Geneva 27, Switzerland
J. Hirst
The Cottage, Butcombe, Bristol, Avon BS18 6XQ, U.K.
M. M. Hosny
Department of Plant Protection, Ain Shams University, Abbaseya, Cairo, Egypt
J. Perfect
Natural Resources Institute, Central Avenue, Chatham Maritime, Chatham, Kent ME4 4T8, UK
J. von Lenteren
Department of Entomology, University of Wageningen, Postbus 8031, Wageningen 6700 EH, The Netherlands
T. Lewis
Institute for Arable Crops Research, Rothamsted Experimental Station, Harpenden, Hertfordshire AL5 2JQ, U.K.
Guan Soon Lim
Crop Protection Research Branch, MARDI, P.O.B. 12301, Serdong, Selangor, Malaysia
E. Magallona
Department of Entomology, College of Agriculture, University of the Philippines at Los Banos College, Laguna 3720, Philippines
T. R. Odhiambo
ICIPE, P.O. Box 30772, Nairobi, Kenya
G. Rothschild
Australian Centre for International Agricultural Research, GPO Box 1571, Canberra ACT 2601, Australia
J. A. Spence
Department of Plant Science and Biochemistry, University of the West Indies, St. Augustine, Trinidad, West Indies
M. S. Swaminathan
B-4/142 Safdarjung Enclave, New Delhi 110 029, India
M. Way
Imperial College at Silwood Park, Ascot, Berkshire SL5 7PY, U.K.
A. Youdeowei
Department of Agricultural Biology, University of Ibadan, Ibadan, Nigeria

Subscription Information
Tropical Pest Management (ISSN 0143-6147) is published quarterly by Taylor & Francis Ltd, 4 John Street, London WC1N 2ET, UK.

Annual subscription 1991 £121, US $211.

Second class postage paid at Jamaica, New York 11431.

USA Postmasters: Send address changes to *Tropical Pest Management*, Publications Expediting Inc., 200 Meacham Avenue, Elmont, New York 11003.

Air freight and mailing in the USA by Publications Expediting Inc., 200 Meacham Avenue, Elmont, NY 11003.

Printed in UK by Burgess Science Press, Rankine Road, Basingstoke, Hampshire RG24 0PR, UK. The paper used in this publication is 'acid free' and conforms to the American National Standards Institute requirements in this respect.

Dollar rates apply to subscribers in all countries except the UK and the Republic of Ireland where the pound sterling price applies. All subscriptions are payable in advance and all rates include postage. Journals are sent by air to the USA, Canada, Mexico, India, Japan and Australasia. Subscriptions are entered on an annual basis, i.e. from January to December. Payment may be made by sterling cheque, dollar cheque, international money order, National Giro, or credit card (AMEX, VISA, Mastercard/Access), or Unesco coupons.

Orders originating in the following territories should be sent direct to the local distributors:
Australia R. Hill & Son Ltd, Suite 2, 119 Gardenvale Road, Gardenvale, Victoria, 3185
New Zealand R. Hill & Son Ltd, Private Bag, Newmarket, Auckland 1
India Universal Subscription Agency Pvt. Ltd, 101–102 Community Centre, Malviya Nagar Extn, Post Bag No. 8, Saket, New Delhi 110017
Japan Kinokuniya Company Ltd, Journal Department, PO Box 55, Chitose, Tokyo 156
USA, Canada and Mexico Taylor & Francis, Inc, 1900 Frost Road, Suite 101, Bristol, Pennsylvania 19007.
UK and all other territories Taylor & Francis Ltd, Rankine Road, Basingstoke, Hampshire RG24 0PR.

Advertisements
All enquiries to Taylor & Francis Ltd, Basingstoke (0256) 840366 or Taylor & Francis Inc., Washington (202) 289 2174.
Tropical Pest Management, originally called *PANS*, was originally published by TDRI, College House, Wrights Lane, London W8 5SJ.

Copyright © 1991 Taylor & Francis Ltd

All rights reserved. Authors are themselves responsible for obtaining permission to reproduce copyright material from other sources and are required to sign a form for agreement of the transfer of copyright. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form, or by any means, electronic, electrostatic, magnetic, mechanical, photocopying, recording or otherwise, without prior permission in writing from the copyright holder.
Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by Taylor & Francis Ltd for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee is paid directly to CCC, 21 Congress Street, Salem, Massachusetts 01970, USA. For fee per article see copyright code on the title page of each paper. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising, for creating new collective works, or for resale. Fees for past articles are the same as those shown for current articles.

All requests from third parties to reprint material held in copyright by Taylor & Francis must be referred to the author for consent as a condition of the granting by Taylor & Francis for permission for reproduction.

Tropical Pest Management is covered by the following abstracting and indexing services: *Abstracts on Tropical Agriculture*, *Agricultural Abstracts*, *BIOSIS database* and its publications, *Current Awareness in Biological Sciences* (CABS database and its publications), *C.A.B. International Abstracts Computer Database* and its various printed abstract journals, *Plant Protection Abstracts*, *Review of Applied Entomology*, *Science Citation Index*, *Tropical Diseases Bulletin*, *Tsetse and Trypanosomiasis Quarterly*.

VOLUME 37 NUMBER 1

1 The performance of copper-based bactericides in the control of bacterial blight of coffee and coffee berry disease in Kenya. **G. M. Kairu, C. M. S. Nyangena and J. E. Muthamia**

6 Insects associated with the potato crop in Kenya. **J. H. Nderitu**

9 Incidence of different caterpillars on safflower and assessment of grain loss due to *Prospalta conducta* Walker (Lepidoptera: Noctuidae) in Karnataka, India. **P. Raja Sekhar and P. Shivarama Rai**

10 Large-scale use of hollow fibre microencapsulated pink bollworm pheromone formulations integrated with conventional insecticides for the control of the cotton pest complex in Egypt. **G. Moawad, A. A. Khidr, M. Zaki, B. R. Critchley, L. J. McVeigh and D. G. Campion**

17 Damage threshold for *Diaphania indica* Saunders (Lepidoptera: Pyralidae) on cucumbers in Guam. **I. H. Schreiner**

21 Response of resistant and susceptible maize to different infestation levels of southwestern corn borer (*Diatraea grandiosella Dyar*) in Mexico. **K. M. Maredia and J. A. Mihm**

26 Indian mustard as a trap crop for management of major lepidopterous pests on cabbage. **K. Srinivasan and P. N. Krishna Moorthy**

33 Tick (Acari: Ixodidae) Resistance to organochlorine acaricides in Tanzania. **L. K. Kaguruki**

37 The development of a standard pheromone trapping procedure for *Spodoptera litura* (F) (Lepidoptera: Noctuidae) population in groundnut (*Arachis hyopogaea* L) crops. **G. V. Ranga Rao, J. A. Wightman and D. V. Ranga Rao**

41 Review of the biology and control of the Asian corn borer, *Ostrinia furnacalis* (Lep: Pyralidae). **D. M. Nafus and I. H. Schreiner**

57 Insect pests of intercrops and their potential to infest oil palm in an oil-palm-based agroforestry system in India. **K. Dhileepan**

59 Constraints to IPM development and a strategy for management of tomato and cabbage pests in Trinidad, West Indies. **G. V. Pollard**

63 Estimating defoliation of coconut palms by insect pests. **B. Zelazny and M. L. A. Hosang**

66 Rational insecticide use for the control of the cotton jassid, *Amrasca biguttula* (Shir) (Cicadelidae, Homoptera) and the spotted bollworm, *Earias vittella* (F.) (Noctuidae, Lepidoptera) on cotton in Bangladesh. **M. Ibrahim Ali and M. A. Karim**

71 Studies on cowpea farming practices in Nigeria, with emphasis on insect pest control. **A. M. Alghali**

75 Population dynamics of the pumpkin caterpillar, *Diaphania indica* (Saunders) Lepidoptera: Pyralidae). **C. Peter and B. V. David**

80 The coconut rhinoceros beetle *Oryctes rhinoceros* L.—its incidence and extent of palm damage in the Andaman and Nicobar Islands (India). **T. K. Jacob and B. S. Bhumannavar**

85 Critical periods of weed interference in Japanese mint (*Mentha arvensis* L.). **S. K. Kothari, D. V. Singh and K. Singh**

91 Chemical weed control in irrigated okra in the Nigerian Sudan savanna zone. **K. O. Adejonwo, M. K. Ahmed, S. T. O. Lagoke and S. K. Karikari**

96 Evaluation of four fumigants against the short-tailed mole rat, *Nesokia indica* Gray and Hardwicke, 1932. **A. A. Khan, M. Ahmad and I. Hussain**

100 **New Records**
Fruit rot disease of *Canavalia ensiformis* (L.) DC. (Jackbean) **B. F. Rodrigues and S. G. Torne**
New insect pests in India **U. N. Mote**
Damage by webspinners (Insecta: Embioptera) in Israel **Q. Argaman and Z. Mendel**
Indian housecrow damage to almond in Himachal Pradesh, India. **S. P. Bhardwaj**

103 **Book Reviews**

105 **Notes and News**

108 **Forthcoming Events**

VOLUME 37 NUMBER 2

110 Early blight (*Alternaria solani*) of potato in the highlands of Papua New Guinea. **S. R. Preston and A. Kowor**

114 Incidence, distribution and severity of bacterial diseases on rice in West Africa. **V. A. Awoderv, N. Bangura and V. T. John**

118 Control of seedling diseases of groundnut in Niger. **P. Subrahmanyam**

120 Bacterial blight of tannia in Tanzania. **H. M. A. Magembe and J. M. Teri**

122 Influence of head blast infection on seed germination and yield components of finger millet. (*Eleusine coracana* L. Gaertn). **A. Ekwamu**

124 *Alternaria* leaf spot of cotton with special reference to Zimbabwe. **R. J. Hillocks**

129 Description of a modified hand-held ultra-low-volume sprayer for millet crop protection by Sahelian farmers. **N. D. Jago and P. A. Shah**

132 A note on the retention of water-soluble dyes by cotton foliage. **J. A. Sutherland and M. B. Montemayor**

134 Influence of spray fluid volume and purity on the effectiveness of a granulosis virus infecting sigarcane shoot borer, *Chilo infuscatellus* Snellen. **S. Easwaramoorthy and S. Jayaraj**

138 The influence of nitrogen on sorghum-weed competition in the tropics. **L. I. Okafor and C. Zitta**

144 Crop-weed competition studies in greeen gram and blackgram. **G. Singh, I. C. Ram and D. Singh**

149 Post-emergence control of *Orobanche cernua* on tobacco with oils. **G. V. G. Krishna Murthy and K. Nagarajan**

152 Variation in the virulence of *Alectra vogelii* populations on cowpea. **T. I. Polniaszek, C. Parker and C. R. Riches**

155 Chemical weed control in irrigated sweet pepper (*Capsicum annuum* L.). **J. A. Adigun, S. T. O. Lagoke and S. K. Karikari**

159 Studies on integrated weed management in sorghum. **A. Ramakrishna, C. K. Ong and S. L. N. Reddy**

162 Suitability of organic mulch (distillation waste) and herbicides for weed management in perennial aromatic grasses. **A. Singh, K. Singh and D. V. Singh**

166 Ticks of camels, sheep and goats in northwestern Kenya rangelands. **J. C. Njanja, F. G. R. Rinkanya and H. K. Kiara**

169 Bark-stripping by blue monkeys in a Tanzanian forest plantation. **S. L. S. Maganga and R. G. Wright**

175 Evaluation of rat (*Rattus rattus*) damage in ricefields in Madagascar. **M. Salvioni**

179 House crow damage to sprouting sunflower. **M. J. Dhindsa, P. S. Sandhu, H. K. Saini and H. S. Toor**

182 Biological control of *Parthenium hysterophorus* L. (Asteraceae) by *Cassia uniflora* Mill (Leguminosae), in Bangalore, India. **S. Joshi**

185 **New Records**
The flower-eating *Gymnoscelis* (Lep. Geometridae) in Israel. **Q. Argaman and M. Wysoki**
A new leaf spot of coconut. **A. M. Hammouda**
White grub: A new pest of soybean in Madhya Pradesh, India. **A. N. Sharma and A. K. Shukla**
Occurrence of Apple Fruit Moth (*Argyresthia conjugella* Zeller) in Lahaul Valley of Himachal Pradesh, India. **J. P. Sharma and D. R. Khajuria**

188 **Book Reviews**

190 **New Books and Publications**

191 **Notes and News**

194 **Forthcoming Events**

VOLUME 37 NUMBER 3

195 Quantitative analysis of temperature, relative humidity, and diet influencing development of the larger grain borer, *Prostephanus truncatus* (Horn) (Coleoptera: Bostrichidae). **Bh. Subramanyam and D. W. Hagstrum**

203 A survey of cassava pests in the Central African Republic. **K. G. Steiner**

207 The banana skipper, *Erionota torus* Evans (Hesperidae: Lepidoptera): establishment, distribution and extent of damage in Taiwan. **H.-S. Chiang and M.-T. Hwang**

211 Weather-based models to predict the population densities of melon fruit fly, *Dacus cucurbitae* Coq. **C. Inayatullah, L. Khan, Manzoor-ul Haq and Ata-ul-Mohsin**

216 Control of some insect pests of cowpea (*Vigna unguiculata*) with neem (*Azadirachta indica* A Juss.) in Northern Ghana. **P. B. Tanzubil**

218 Effectiveness of cyfluthrin dust treatment for control and protection of shelled maize against infestation by the larger grain borer, *Prostephanus truncatus* (Horn) (Coleoptera: Bostrichidae) in Tanzania. **R. H. Makundi**

221 Evaluation of a rapid bioassay for diagnosing endosulfan resistance in coffee berry borer, *Hypothenemus hampei* (Ferrari) (Coleoptera: Scolytidae). **L. O. Brun, C. Marcillaud, V. Gaudichon and D. M. Suckling**

224 Integrated pest management strategy for cowpea production under residual soil moisture in the Bida area of northern Nigeria. **A. M. Alghali**

228 The seasonal fluctuation in the population of *Enneadesmus obtusedentatus* Lesne (Coleoptera: Bostrichidae) on fig trees in Egypt. **M. M. Kinawy, F. F. Abd-Allah and A. W. Tadros**

231 Monitoring adult sorghum shoot fly, *Atherigona soccata* Rondani (Diptera: Muscidae), and related species in Burkina Faso. **J. O. Zongo, C. Vincent and R. K. Stewart**

236 Damage by pod-sucking bugs on cowpea when intercropped with maize. **M. Gethi and B. M. Khaemba**

240 *Cicadulina* species and maize streak virus in Ethiopia. **T. Mesfin, J. den Hollander and P. G. Markham**

245 Weed problems in wheat and their control in the Indian subcontinent. **T. P. Mustafee**

252 Studies on the effects of Metsulfuron methyl on the parasitism of sorghum by *Striga hermonthica* (Del.) Benth. **K. O. Adu-Tutu and D. S. H. Drennan**

256 Incidence of rice tungro virus disease and its vector in South Sulawesi, Indonesia. **P. S. Rao and A. Hasanuddin**

259 Diseases of groundnut in West Africa and their management: research priorities and strategies. **P. Subrahmanyam, D. C. Greenberg, S. Savary and J. P. Bosc**

270 Effect of fungicides on key diseases of groundnut in relation to crop stage. **M. J. Sekhar and R. R. Sekaran**

273 Some aspects of antibiosis in cowpea resistant to *Clavigralla tomentosicollis* Stal. (Hemiptera: Coreidae) in Nigeria. **G. O. Olatunde and J. A. Odebiyi**

277 A modified Zadoks decimal code for the growth stages of rice. **K. M. Chin, A. Leohken, D. Sozzi and R. J. Williams**

281 Diseases of *Leucaena* species. **J. M. Lenné**

290 Comparative observations on the pest and disease incidence and yield losses of Japonica, Indica and Japonica × Indica rices. **S. Bleih, S. B. de Sagun and R. Ramachandran**

296 Root-knot nematodes associated with tannia (*Xanthosoma sagittifolium*) in Tanzania. **J. M. Teri and H. H. E. Runkulatile**

298 Damage and hoarding by rodents and their control in standing wheat in Himachal Pradesh. **C. Sheikher and S. D. Jain**

301 **Notes and News**

VOLUME 37 NUMBER 4

303 **Special Review**
Microbial agents for the biological control of plant-parasitic nematodes in tropical agriculture. **K. G. Davies, F. A. A. M. De Leij and B. R. Kerry**

321 Walking speed as a variable in knapsack sprayer operation: perception of speed and the effect of training. **J. Spencer and D. R. Dent**

324 Methodology of the application of pyrethroids against cotton boll weevil and pink bollworm. **F. S. Ramalho and J. V. Gonzaga**

329 Current trends in the use of traditional and organic methods for the control of crop pests and diseases in Nigeria. **M. A. T. Poswal and A. D. Akpa**

334 Seed dressing insecticides for bean fly [*Ophiomyia phaseoli* (Tryon) (Diptera: Agromyzidae)] control in Ethiopia. **T. Abate**

338 Status and natural enemies of the weed, *Lantana camara*, in Micronesia. **G. R. W. Denton, R. Muniappan and M. Marutani**

345 Weed management in pigeonpea under rainfed conditions in India. **M. Ali**

349 Observations on the incidence of rice brown spot, leaf scald and leaf smut diseases in a tidal mangrove swamp at Rokupr, Northwestern Sierra Leone. **S. N. Fomba and N. Singh**

356 Rice yellow mottle virus in West Africa. **V. A. Awoderu**

363 Action threshold for flower thrips on cowpea (*Vigna unguiculata* (*L.*) Walp.) in Senegal. **A. B. Bal**

368 Ascochyta blight of lentil and its control in Ethiopia. **S. Ahmed and S. P. S. Beniwal**

374 Biocontrol of *Sclerotinia sclerotiorum* (Lib.) de Bary by *Trichoderma harzianum*. **D. Singh**

379 Biological control of the fruit tree mealybug *Rastrococcus invadens* Williams in Togo: A preliminary sociological and economic evaluation. **J. M. Vögele, D. Agounke and D. Moore**

383 *Gastrophysa atrocyanae* (Col: Chrysomelidae), an agent for biological control of the dock, *Rumex japonicus* (Polygonaceae) in China. **W. Xiaoshui**

387 Biological control of the coconut scale insect (*Aspidiotus destructor* Sign, Homoptera: Diaspididae) in the southern region of Oman (Dhofar). **M. M. Kinawy**

390 Management of *Anomala cupripes* and *A. expansa* in soybean by using a trap cultivar in Taiwan. **N. S. Talekar and F. Nurdin**

393 The relationship between total sugar, crude protein and tannic acid contents of cowpea, *Vigna unguiculata* L. Walp. and varietal resistance to *Clavigralla tomentosicollis* Stal. (Hemiptera: Coreidae). **G. O. Olatunde and J. A. Odebiyi**

397 Development of a new fishmeal attractant and insecticide formulation for management of sorghum shootfly, *Atherigona varia soccata* Rond. **S. Mohan and G. Prasad**

399 Economic threshold level for green semilooper, *Chrysodeixis acuta* (Walker) on soybean. **O. P. Singh and K. J. Singh**

403 Control of *Coelaenomenodera minuta* Uhlmann with *Crematogaster* species. **I. N. Timti**

409 Insect damage in maize of highland Ecuador and its significance in small farm pest management. **D. C. Evans and E. Zambrano**

415 Pest status and control of blister beetles in West Africa. **R. T. Gahukar**

421 Host-plant resistance to insects in cucurbits—germplasm resources, genetics and breeding. **N. P. S. Dhillon and T. C. Wehner**

429 Anatto—a possible trap crop to assist control of the mosquito bug (*Helopeltis schoutedeni* Reut.) in tea and other crops. **W. T. H. Peregrine**

431 Action thresholds for the management of pod borer, *Adisura atkinsoni* Moore (Lepidoptera: Noctuidae) on field bean (hyacinth bean), *Lablab purpureus* (L.) in India. **S. Mallikarjunappa and D. Rajagopal**

436 Attractiveness of chemicals to *Glossina tachionoides* Westwood (Diptera, Glossinidae) in Côte d'Ivoire. **W. Küpper, J. Späth and T. Kröber**

439 **New Records**
Occurrence of *Prodromus clypeatus* Distant (Heteroptera miridae) on Banana (*Musa sp*) in India: a new record. **N. Anitha and L. Rajamony**

440 **Notes and News**

442 **Forthcoming Events**
Author Index